

MC2200/MC2700

Accessories Guide

Version 1.0 Sept 14, 2020

MC2200 / MC2700 Accessory Overview

Low-Cost Desktop USB-C Cradle





Hand Strap

Attachable Trigger Handle

Built for work to get the job done across your business with accessories that enable better backroom management and expanded flexibility

4 Slot Battery Charger

Single Slot Desktop

Cradle with Spare Battery Charger. Supports optional Ethernet Module









Screen Protector



Holsters and Rubber Boots

Two Battery Options (3500mAh & 4900mAh)







Multi-Slot Cradle System (<u>Two</u> Options; 5 Terminal, 4 Terminal & 4 Battery Charger)

Cradle System



Single Slot Cradle





Single Slot Cradle Options:

CRD-MC2X-1SCU-01

Single slot USB cradle charges one device. Allows USB communication to the device with integrated 1m (3.3') USB-A cable.

Optional: Power supply PWR-WUA5V12W0XX for charge only. Country specific part numbers are available for order

CRD-MC2X-2SUCHG-01

Single slot USB cradle with spare battery charging, charges one device and one spare battery. Allows USB or ethernet communication to the device with an additional micro-USB cable (25-124330-01R) or ethernet dongle (MOD-MT2-EU1-01).

Requires: Power supply PWR-BGA12V50W0WW, DC line cord CBL-DC-388A1-01 and country specific 3 wire AC line cord.

Additional Accessories for Device-only Single Slot Cradle



PWR-WUA5V12W0XX

AC/DC power supply AC Input: 100-240VAC DC Output: 5VDC, 2.5A,

12.5W

World-Wide: PWR-WUA5V12W0WW
Australia: PWR-WUA5V12W0AU
Brazil: PWR-WUA5V12W0BR
China: PWR-WUA5V12W0CN
Europe: PWR-WUA5V12W0EU
India: PWR-WUA5V12W0IN
Korea: PWR-WUA5V12W0KR
UK: PWR-WUA5V12W0GB

Additional Accessories for Single Slot Cradle with Spare Battery Charger



MOD-MT2-EU1-01

USB To Ethernet Module. Mechanical switch selects between USB port and RJ45 Ethernet jack.



PWR-BGA12V50W0WW

Level VI AC/DC power supply (brick, replacement for

PWRS-14000-148R) **AC Input:** 100-240VAC, 2.4A

DC Output: 12VDC, 4.16A, 50W

Requires: DC line cord and country specific grounded

AC line cord.



CBL-DC-388A1-01

DC line cord for running the single slot cradles or battery chargers from a single Level VI power supply PWR-BGA12V50W0WW, Level VI replacement for PWRS-14000-148R.



Various Part Numbers – please contact your Zebra sales associate for more details

AC line cord, 7.5 feet long, grounded, three wire for power supplies.



Cradle System

Multi-slot Cradles





Multi-Slot Cradle Options:

CRD-MC2X-5SCHG-01

5-Slot Terminal Charger.

CRD-MC2X-4SC4BC-01

4-Slot Terminal Charger with 4-Slot Battery Charging.

All Multi-Slot Cradles Require: Power supply PWR-BGA12V108W0WW, DC cord CBL-DC-381A1-01 and country specific 3 wire AC line cord.

Main Features

- Charge only configurations
- Charges five devices or four devices with four spare batteries
- Compatible with all MC2200/MC2700 batteries (in device & in spare charger)
- Desk/Wall/Rack mount options

Additional Accessories for Single Slot Cradle



PWR-BGA12V108W0WW

Level VI AC/DC power supply (brick, Replacement for

PWRS-14000-241R) **AC Input:** 100-240V, 2.8A **DC Output:** 12V, 9A, 108W

Requires: DC line cord and country specific grounded AC

line cord.



CBL-DC-381A1-01

DC line cord for running multi-slot cradles from a single Level VI power supply PWR-BGA12V108W0WW, Level VI replacement for PWRS-14000-241R



23844-00-00R

US AC line cord, 7.5 feet long, grounded, three wire for power supplies.



BRKT-SCRD-SMRK-01

Rack/Wall mounting bracket, allows to install any multi-slot cradle on a wall or a 19" IT rack.

Cradle System

Multi-slot Battery Charger



Multi-Slot Battery Charger:

SAC-MC2X-4SCHG-01

4-Slot Battery Charger, Charges Four Spare Batteries (Supports both Standard and Extended Capacity Batteries)

Multi-Slot Battery Cradle Requires: Power supply PWR-BGA12V50W0WW, DC cord CBL-DC-388A1-01 and country specific 3 wire AC line cord.

Main Features

- Charge only configurations
- Charges four spare batteries
- Compatible with all MC2200/MC2700
- Desk/Wall/Rack mount options

Additional Accessories for Single Slot Cradle



PWR-BGA12V50W0WW

Level VI AC/DC power supply (brick, replacement for

PWRS-14000-148R)

AC Input: 100-240VAC, 2.4A **DC Output:** 12VDC, 4.16A, 50W

Requires: DC line cord and country specific grounded

AC line cord.



CBL-DC-388A1-01

DC line cord for running the single slot cradles or battery chargers from a single Level VI power supply PWR-BGA12V50W0WW, Level VI replacement for PWRS-14000-148R.



Various Part Numbers – please contact your Zebra sales associate for more details

AC line cord, 7.5 feet long, grounded, three wire for power supplies.

Batteries



Spare Batteries – Standard / Extended Capacity



BTRY-MC2X-35MA-01

PowerPrecision Lithium Ion battery pack, **3500mAh**, provides 17 hours of use at room temperature before requiring a recharge

Pack of 10: BTRY-MC2X-35MA-10



BTRY-MC2X-49MA-01

PowerPrecision Lithium Ion battery pack, **4900mAh**, extended capacity provides over 23 hours of use at room temperature before requiring a recharge

Pack of 10: BTRY-MC2X-49MA-10

Note: 4900mAh battery pack is denoted by the battery plus icon to differentiate from the 3500mAh standard battery

Data Capture



Attachable Trigger Handle



TRG-MC2X-SNP1-01

Attachable trigger handle

- Quickly converts your device into a gun style for data capture intensive applications.
- The handle easily snaps onto the device, no tools required.
- 2-pin electrical interface provides fast data capture.
- Does not block camera or any other feature
- Works in all charging cradles with handle attached
- Optional wrist strap (SG-MC2X-HSTRPH-01), rubber boot (SG-MC2X-RBH2-01) and holster (SG-MC3021212-01R) available

Screen Protector



MISC-MC2X-SCRNPT-01

Tempered Glass Screen Protector - 5 Pack

Protects displays on both MC2200 and MC2700

Soft Goods

Brick and Gun Configurations



Brick-only



Gun-only

Carrying Solutions



SG-MC2X-HLSTR-01

Fabric holster, secures to a belt or a shoulder strap – belt clip included.

The shoulder strap can be purchased separately



SG-MC3021212-01R

Fabric holster, secures to a belt or a shoulder strap... Requires belt or shoulder strap ordered separately.

Protective Boots



SG-MC2X-RB1-01

Rubber boot for terminal only, protects the device from wear and.



SG-MC2X-RBH2-01

Rubber boot for terminal with trigger handle, protects the device from wear and.

Straps



SG-MC2X-HSTRP-01

Spare Hand Strap for Terminal without Trigger Handle



SG-MC2X-HSTRPH-01

Hand Strap for Terminal with **Trigger Handle**

Other



58-40000-007R

Shoulder strap Universal shoulder strap for fabric holster.



11-08062-02R

Belt for holster Universal belt for fabric holster.

Audio Accessories

Bluetooth Headset



HS3100-OTH

HS3100 Rugged Bluetooth Headset Over-The-Head Headband includes

- HS3100 Boom Module
- HSX100 OTH Headband Module

